

FAUNA AND FLORA.

MAMMALIA.

OR ANIMALS WHICH SUCKLE THEIR YOUNG.

The following catalogue of the mammiferous animals of Georgia, was prepared by the Rev. Dr. BACHMAN, of Charleston, South Carolina, a gentleman well known as an accomplished zoologist.

CARNIVORA.

URSUS		
Americanus	<i>Pall.</i>	. . . Black bear.
PROCYON		
lotor	<i>L.</i>	. . . Raccoon.
MEPHITIS		
chinga	<i>Tied.</i>	. . . Skunk.
MUSTELA		
erminea	<i>Lin.</i>	. . . Ermine weasel, northern parts.
PUTORIUS		
vison	<i>Lin.</i>	. . . American mink.
LUTRA		
Canadensis	<i>Sab.</i>	. . . Otter.
CANIS		
lupus	<i>Lin.</i>	. . . Common gray wolf.
CANIS		
lupus	<i>Lin</i> (variety <i>ater</i>).	. . . Black wolf.
VULPES		
Virginianus	<i>Schr.</i>	. . . Gray fox.
VULPES		
fulvus	<i>Desm.</i>	. . . Red fox, few in the mountains.
FELIS		
discolor	<i>Schr.</i>	. . . Cougar, Panther, Glynn and Wayne co.
LYNX		
rufus	<i>Guld.</i>	. . . Common wild cat.

CHEIROPTERA.

MOLOSSUS ¹		
Carolinensis	<i>Geoff.</i>	. . . Carolina molossus, southern Georgia.

VESPERTILIO

- subulatus *Say.* . . . Mountain bat.
 monticola *Bach.* . . . Virginia bat.
 Virginianus *Bach.* . . . Carolina bat.
 Carolinensis *Geoff.* . . . Black bat.
 nigrescens *Bach.* . . .
 noctivagans *Lec.* . . .

NYCTICEUS

- noveboracensis *Lin.* . . . New-York bat.
 pruinus *Say.* . . . Hoary bat.
 crepuscularis *Lec.* . . .

PLECOTUS

- macrotis *Lec.* . . . Long-eared bat.

INSECTIVORA.

SOREX

- brevicaudis *Say.* . . . Short-tailed shrew.
 Carolinensis *Bach.* . . . Carolina shrew.
 cinereus *Bach.* . . . Ash-coloured shrew.
 longirostris *Bach.* . . . Long-nosed shrew.

CONDYLURA

- cristata *Lin.* . . . Star-nosed mole, mountains.

SCALOPS

- aquaticus *Lin.* . . . Common shrew mole, mountains.
 breweri *Bach.* . . . Brewer's shrew mole.

RODENTIA.

SCIURUS

- capistratus *Bosc.* . . . Fox squirrel.
 Carolinensis *Gm.* . . . Gray squirrel.
 cinereus *Lin.* . . . Cat squirrel, mountains.

TAMIAS

- listeri *Ray.* . . . Ground squirrel.

PTEROMYS

- volucella *Gm.* . . . Flying squirrel.

ARCTOMYS

- monax *Lin.* . . . Ground hog, wood-chuck, northern parts.

MERIONES

- Americanus *Penn.* . . . American jumping mouse.

ARVICOLA

- pinetorum *Lec.* . . . Pine mouse.

PSEUDOSTOMA

- pinetorum *Raff.* . . . Salamander, sandy tracts.

SIGMODON

- hispidum *Say and Ord.* . . . Cotton rat.

NEOTOMA

- floridana *Say and Ord.* . . . Florida rat.

CASTOR

- fiber *Lin.* . . . Variety Americanus, rare, near Milledgeville and Macon.

FIBER

- zibethicus *Lin.* . . . Muskrat, upper Georgia.

MUS

- decumanus *Lin.* . . . Norway rat.
 rattus *Lin.* . . . Black rat
 humilis *Bach.* . . . Little harvest mouse.
 musculus *Lin.* . . . Common house mouse.

MAMMALIA.

5

MUS			
aureolus	<i>Bach.</i>	. . .	Orange-coloured mouse.
leucopus	<i>Raf.</i>	. . .	American white-footed mouse.
Le Contii	<i>Bach.</i>	. . .	Le Conte's mouse.
oryzivora	<i>Bach.</i>	. . .	Rice mouse, southern parts.
LEPUS			
sylvaticus	<i>Bach.</i>	. . .	American gray rabbit.
palustris	<i>Bach.</i>	. . .	Marsh rabbit, southern Georgia.
aquaticus	<i>Bach.</i>	. . .	Swamp rabbit, Coweta county.

RUMINANTIA.

CERVUS			
Virginianus	<i>Lin.</i>	. . .	Common deer.

CETACEA.

DELPHINUS			
phocæna	<i>Lin.</i>	. . .	Porpoise.
globiceps	<i>Cuv.</i>	. . .	Black porpoise.

MARSUPIALIA.

DIDELPHIS			
Virginianus	<i>Pen.</i>	. . .	Opossum.

NOTE.

(1) There are two species of molossus described by William Cooper, of New-York, in the *Annals of the Lyceum of Natural History*, both from Georgia, and both very common:

Molossus cynocephalus;
 ——— *fuliginosus*.

STATISTICS
OF THE
STATE OF GEORGIA :

INCLUDING AN ACCOUNT OF ITS

Natural, Civil, and Ecclesiastical History ;

TOGETHER WITH A PARTICULAR

DESCRIPTION OF EACH COUNTY,

NOTICES OF THE MANNERS AND CUSTOMS OF
ITS ABORIGINAL TRIBES,

AND

A CORRECT MAP OF THE STATE.

BY

GEORGE WHITE.

SAVANNAH:
W. THORNE WILLIAMS.

1849.